


iQ500
EC7A5RB90
75 cm, hob, Stainless steel



Gas cooktop with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology: precise heat control with nine different flame steps.
- ✓ The dual wok burner with dual flame system and 5 kW of power is ideal for a wide variety of foods, even in large quantities.
- ✓ High-quality materials and workmanship – continuous cast-iron pan supports.
- ✓ Comfortable usage due to high quality control dials.
- ✓ A Siemens hob with a uniquely beautiful stainless-steel surface design.

Features

Technical Data

Product name/family : gas hob w integrated controls
 Construction type : Built-in
 Energy input : Gas
 Total number of positions that can be used at the same time : 5
 Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492
 Width of the product (mm) : 750
 Dimensions of the product (mm) : 45 x 750 x 520
 Dimensions of the packed product (HxWxD) (mm) : 145 x 793 x 597
 Net weight (kg) : 15.0
 Gross weight (kg) : 16.0
 Residual heat indicator : without
 Location of control panel : Hob front
 Basic surface material : Stainless steel
 Color of surface : Stainless steel
 Color of frame : Stainless steel
 Approval certificates : CE, Eurasian, Ukraine
 Length of electrical supply cord (cm) : 100
 EAN code : 4242003676134
 Electrical connection rating (W) : 1
 Gas connection rating (W) : 12500
 Current (A) : 3
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60



iQ500

EC7A5RB90

75 cm, hob, Stainless steel

Features

Design

- Easy to clean Stainless steel surface.
- Cast iron pan supports
- High efficiency burner set

Special features

- Step Flame technology - 9 steps
- Design co-ordinated control dials
- Ignition via control dials

Power and size:

- 5 burner gas hob including:
- 1 dual control wok burner
- 4 gas + wok (center DUAL)
- Left rear: Standard burner 1.75 KW
- Right rear: High-speed burner 3 KW
- Center: wok burner 5 KW
- Left front: Economy burner 1 KW
- Right front: Standard burner 1.75 KW

Safety Features

- Factory set for connection to mains gas
- Flame failure safety device

Accessories

- LPG jets (28-30/37mbar) included

Technical information

- Power cord length 100 cm

75 cm, hob, Stainless steel

Technical drawing of the oven cut-out showing top and side views with dimensions in mm.

Top View Dimensions:

- Overall width: 750
- Overall depth: 520
- Distance from top edge to first row of cut-outs: 45
- Distance between cut-outs (horizontal): 56
- Distance between cut-outs (vertical): 26
- Distance from bottom edge to last row of cut-outs: 19-29
- Distance from side wall to cut-outs: 53

Side View Dimensions:

- Minimum depth of cut-out: min. 55
- Minimum distance from hob cut-out to the wall: * min. 150
- Minimum distance between cut-outs: min. 600
- Minimum depth of oven: *** min. 30

Legend:

- * Minimum distance from the hob cut-out to the wall
- ** Position of gas connection in the cut-out
- *** With fitted oven underneath, possibly more; see space requirements for the oven

measurements in mm