



**iQ100**  
**EU631FEB1E Induction Hob**  
**Bevel front**  
**592 mm**



Induction cooktop with innovative features that enable highly flexible cooking in any situation.

- ✓ Innovative induction technology is one of the quickest, safest and most efficient methods of cooking.
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost function.
- ✓ The touchSlider allows the hob temperature to be controlled by entering it directly or by moving the slider with a single finger.

**Features**

**Technical Data**  
 Product name/family : Cooking zone ceramic  
 Construction type : Built-in  
 Energy input : Electric  
 Total number of positions that can be used at the same time : 4  
 Required niche size for installation (HxWxD) : 51 x 560-560 x 490-500  
 Width of the product (mm) : 592  
 Dimensions of the product (mm) : 51 x 592 x 522  
 Dimensions of the packed product (HxWxD) (mm) : 126 x 753 x 603  
 Net weight (kg) : 11.0  
 Gross weight (kg) : 12.0  
 Residual heat indicator : Separate  
 Location of control panel : Hob front  
 Basic surface material : Ceramic  
 Color of surface : Black  
 Approval certificates : AENOR, CE  
 Length of electrical supply cord (cm) : 110  
 EAN code : 4242003716625  
 Electrical connection rating (W) : 4600  
 Current (A) : 20  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60



**iQ100**  
**EU631FEB1E Induction Hob**  
**Bevel front**  
**592 mm**

#### Features

##### Control:

- touchSlider control

##### Special features

- 4 induction cooking zones
- reStart function
- quickStart function
- Timer for all zones  
Acoustic signal
- 17 power levels
- Power boost setting
- Energy Consumption Display

##### Safety Features

- Automatic pan recognition  
Connection current management (20, 16, 13, 10 Amps options)  
Automatic safety switch off  
Control panel lock  
Control panel pause
- 2 stage residual heat indicators
- Main on/off switch

##### Power and size:

- Cooking zones: 1 x Ø 180 mm, 1.8 KW (max. Power levels 3.1 KW) Induction; 1 x Ø 180 mm, 1.8 KW (max. Power levels 3.1 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power levels 2.2 KW) Induction; 1 x Ø 210 mm, 2.2 KW (max. Power levels 3.7 KW) Induction

##### Technical information

- Installation measurements: 560 mmx490 mm
- Connection cable (1.1 M )
- Min. worktop thickness: 30 mm
- Connected load: 4.6 kW
- Cable included in packaging

**iQ100**  
**EU631FEB1E Induction Hob**  
**Bevel front**  
**592 mm**

Dimensioned drawings

