

N 90, Built-in freezer, 177.2 x 55.8 cm
G17815CE0G



COOKING PASSION SINCE 1877



This NoFrost built-in freezer needs no defrosting and features a malfunction warning signal in case of increasing temperature.

- ✓ NoFrost: No more manual thawing. The air circulates to stay dry so there's no ice buildup.
- ✓ Individualize your drawers with various loading options to create the optimal fit for frozen goodies
- ✓ Home Connect: Rediscover your kitchen with our connected home appliances, from wherever you are.
- ✓ Softclose: When it reaches an angle of 20° the door softly closes itself.

Features

Technical Data

Energy Efficiency Class (Regulation (EU) 2017/1369) : E
 Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369 : 235
 Sum of volume of frozen compartments (EU 2017/1369) : 212
 Airborne acoustical noise emissions (EU 2017/1369) : 35
 Airborne acoustical noise emission class (EU 2017/1369) : B
 Thermometer freeze section : Digital
 Light : No
 Product category : Upright freezer
 Construction type : Built-in
 Door panel options : Not possible
 Frost free system : Fridge and freezer
 Height of the product (mm) : 1772
 Width of the appliance : 558
 Depth of the product : 545
 Dimensions of the packed product (HxWxD) (mm) : 1840 x 640 x 620
 Net weight (kg) : 66.713
 Gross weight (kg) : 71.9
 Connection rating (W) : 120
 Current (A) : 13
 Frequency (Hz) : 50
 Approval certificates : CE, VDE
 Length of electrical supply cord (cm) : 230
 Door hinge : Left reversible
 Storage Period in Event of Power Failure (h) : 9
 Warning signal / malfunction : visual and audible
 Lockable door : No
 Number of drawers/baskets (Stck) : 5
 Number of freezing flaps (Stck) : 2
 EAN code : 4242004250227
 Brand : Neff
 Product name / Commercial code : G17815CE0G
 Product category : Upright freezer



4 242004 250227

Features

Functions

- Fixed hinge
- Fixed hinge

Design features

- Full frost free, never have to defrost ever again
- Home Connect: Remote Monitoring and Control
- Electronic control (7 segment display)
- 1 compressor/1 cold circuit
- SuperFreeze function with automatic deactivation
- SoftClose door - dampens door movement, for smooth and effortless closure
- Ventilation in plinth, the plinth size can be varied
- Automatic defrost freezer
- Acoustic warning system
- Freezer malfunction warning signal: optical, acoustical

Food freshness system

- 5 freezer drawers
- 2 hinged freezer compartment
- Safety glass shelves between freezer drawers

Key features - Fridge section

- Left hinged door, reversible
- Connection value 120 W
- 220 - 240 V

Dimension and installation

- Dimensions: 177.2 cm H x 55.8 cm W x 54.5 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D

Key features - Freezer section

- 1 ice cube tray

Design features

Dimension and installation

Additional features

Performance and Consumption




- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- EU19_EEK_D: E
- Total Volume : 212 l
- Net Fridge Volume : 0 l
- Net Freezer Volume : 212 l
- Net 4* compartment volume : 212 l
- Freezing capacity 24h : 14 kg
- Annual Energy Consumption: 235 kWh/a
- Climate Class: SN-T
- Noise Level : 35 dB
- Temperature rise time : EU19_Temperature rise time_D: 9 H

N 90, Built-in freezer, 177.2 x 55.8 cm
G17815CE0G




COOKING PASSION SINCE 1877

Dimensioned drawings




Maximal permissible weight of the unit fronts



Fitted kitchen unit doors that exceed the permissible weight may cause damage and result in functional impairment of the hinges.

T: Includes height of appliance door	undamped hinge, Door in kg:	damped hinge, Door in kg:
Hinges in mm: 1500-1750	22	22

measurements in mm
Recommended gap dimensions for flat hinges



The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.

Maximal permissible weight of the unit fronts

Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges

- Δ Weight
- A: Appliance door height including hinges in mm
- B: Undamped hinge, unit front in kg
- C: Damped hinge, unit front in kg

A	B	C
1500-1750	22	22
720-1400	19	19
A1	15	19
A2	15	19