

Serie | 8, French door bottom freezer, multiDoor, 183 x 90.5 cm, Inoxeasyclean KFF96PIEP





Included accessories

 $1\ x\ cartridge$ for water filtering system

The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- **NoFrost:** You'll never have to defrost your fridge-freezer again.
- Extra Large size: provides much more space for your food.
- Thoughtfully tucked away is the internal water dispenser for refreshing, pure water at the touch of a button, or push of a nozzle
- LED lights bring a completely new lighting concept to fridges
- AirFresh Filter: neutralises unwanted odours and ensures the air inside the appliance is fresh.

Technical Data

Energy Efficiency Class:	E
Average annual energy consumption in kilowatt hour per year	
(kWh/a):	333
Sum of volume of frozen compartments:	171
Sum of volume of chill compartments:	402
Airborne acoustical noise emissions :	39
Airborne acoustical noise emission class:	С
Construction type:	Free-standing
Door panel options:	Not possible
Width of the appliance:	905
Depth of the product:	706
Net weight (kg):	158.301
Fuse protection (A):	10
Door hinge:	Other
Voltage (V):	220-240
Frequency (Hz):	50-60
Approval certificates:	CSA
Length of electrical supply cord (cm):	240
Storage Period in Event of Power Failure (h):	18
Number of compressors:	2
Number of independent cooling systems:	2
Interior ventilator:	Yes
Reversible Door Hinge:	No
Number of Adjustable Shelves in fridge compartment (Stck): 4	
Shelves for Bottles:	Yes
Installation type:	N/A





Serie | 8, French door bottom freezer, multiDoor, 183 x 90.5 cm, Inox-easyclean KFF96PIEP

The refrigerator with VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- KFF96PIEP

- Twin No Frost (RC + FC), Free-standing-refrigerator >= 3 door
- Stainless Steel EasyClean doors and chrome inox metallic side panels

Functions

- Bright interior LED fridge light
- Interior design with metal applications

Design features

- 3 x 7 segment
- Super Cooling: automatic deactivation
- Automatic defrost fridge
- Holiday mode saves energy when you're away a longer period of time, Sabbath Mode
- Optical and accoustical
- Freezer malfunction warning signal: optical and accoustical

Design features

- MultiAirflow system improves circulation of air around the fridge
- AirFreshFilter with AntiBacterial filter to reduce odours and bacteria
- 4 safety glass shelves of which 4 are height adjustable, Dividable glass shelf 2 shelves extendable
- Door shelves in fridge door: 2 large and 3 small.
- flexible bar
- 1 dairy compartment in door

Freshness System

- 1 VitaFresh drawer - Fish and meat stay fresh for longer

Food freshness system

Dimension and installation

- Dimensions: 183 cm H x 90.5 cm W x 70.6 cm D

Key features - Fridge section

- cartridge for water filtering system
- 4 wheels for easier transport, 3 of them height adjustable.
- **-** 220 240 V

Key features - Freezer section

- Automatic ice cube maker
- 3 freezer drawers
- Freezer malfunction warning signal: optical and acoustical warning system

Country Specific Options


- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 573 l
- Net Fridge Volume : 402 l
- Net Freezer Volume : 171 |
- Net 4* compartment volume : 171 l
- Freezing capacity 24h : 15 kg
- Annual Energy Consumption: 333 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 39 dB
- Temperature rise time : EU19_Temperature rise time_D: 18.5 H





Serie | 8, French door bottom freezer, multiDoor, 183 x 90.5 cm, Inox-easyclean KFF96PIEP




A: Front is adjustable from 1830 to 1847, with front levelling feet fully extended B: With handle










A: Front is adjustable from 1830 to 1847, with front levelling feet fully extended B: Add 25 for fixed spacers on back C: Water connection position







measurements in mm



A: If you install the appliance in a niche, adhere to the shown dimensions