

**Serie | 4 Hobs**
**PGP6B5B60**  
**60 cm, hob, Stainless steel**

**The gas hob with front-mounted controls:  
the desired cooking zones can be  
conveniently operated from the front.**

- **Continuous cast-iron finish pan supports:** for maximum stability.
- **Surface colour:** elegant stainless-steel design.

**Technical Data**

Product name/family :	gas hob w integrated controls
Construction type :	Built-in
Energy input :	Gas
Total number of positions that can be used at the same time :	4
Required niche size for installation (HxWxD) :	45 x 560-562 x 480-492
Width of the product (mm) :	582
Dimensions of the product (mm) :	45 x 582 x 520
Dimensions of the packed product (HxWxD) (mm) :	145 x 580 x 655
Net weight (kg) :	8.0
Gross weight (kg) :	9.0
Residual heat indicator :	without
Location of control panel :	Hob front
Basic surface material :	Stainless steel
Color of surface :	Stainless steel
Color of frame :	Stainless steel
Approval certificates :	CE
Length of electrical supply cord (cm) :	100
EAN code :	4242002955346
Electrical connection rating (W) :	1
Gas connection rating (W) :	7500
Current (A) :	3
Voltage (V) :	220-240
Frequency (Hz) :	60; 50



## Serie | 4 Hobs

### PGP6B5B60

#### 60 cm, hob, Stainless steel

**The gas hob with front-mounted controls:  
the desired cooking zones can be  
conveniently operated from the front.**

---

#### **Design**

- Stainless steel

#### **Special features**

- Design co-ordinated control dials
- Ignition via control dials
- cast iron finish pan supports with rubber feet

#### **Power and size:**

- 4 gas burners:
- Left rear: Standard burner 1.75 KW
- Right rear: high-speed burner 3 KW
- Left front: standard burner 1.75 KW
- Right front: economy burner 1 KW

#### **Safety Features**

- Flame failure safety device
- Pre-set for natural gas

#### **Technical information**

- Power cord length 100 cm

#### **Accessories**

- LPG jets included. Connection to 28-30/37 mbar bottled gas

## Serie | 4 Hobs

**PGP6B5B60**

**60 cm, hob, Stainless steel**

