


Series 2, Electric hob, 60 cm PKE61RAA8B



The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

• The handy ChildLock locks the control panel to prevent accidental changes in settings.

Technical Data

Product name/family: Cooking zone ceramic

Construction type : Built-in Energy input : Electric

Total number of positions that can be used at the same time : 4 Min. required niche size for installation (HxWxD) : $45 \times 560-560$

x 490-500 mm

Width of the appliance : 592 mm Dimensions : $45 \times 592 \times 522$ mm

Dimensions of the packed product (HxWxD) : $100 \times 750 \times 590$

mm

Net weight : 7.3 kg Gross weight : 8.0 kg

Residual heat indicator : Separate Location of control panel : Hob front Basic surface material : Ceramic

Color of surface : Black

Length of electrical supply cord: 100 cm

EAN code: 4242005280384

Voltage: 220-240 V Frequency: 50; 60 Hz





Series 2, Electric hob, 60 cm PKE61RAA8B

The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

Flexibility of cooking zones

- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 180 mm, 2 KW
- Cooking zone rear right: 145 mm , 1.2 KW
- Cooking zone front right: 180 mm, 2 KW

Usage convenience

- TouchSelect Basic: control the power with imprinted +/- touch buttons.
- Variable 9-stage power settings for each zone: precisely adapt the heat with 9 power levels.
- Quick Stop: quickly switch off a cooking zone with one longer touch.

Design

- 60 cm: space for 4 pots or pans.
- Frameless design

Safety


- Control panel lock: prevent unintended activation of the hob.
- Main on/off switch: switch off all cooking zones at the touch of a button.
- Power on indicator light: indicates if the hob is heating.
- Automatic safety shut off: for safety reasons, heating stops after a preset time if not used (possible to customise).

Installation

- Dimensions of the product (HxWxD mm): 45 x 592 x 522
- Required niche size for installation (HxWxD mm) : $45 \times 560 \times (490 500)$
- Min. worktop thickness: 16 mm
- Connected load: 6.4 KW
- Power cord: 1 m, Cable included



Series 2, Electric hob, 60 cm PKE61RAA8B



- A: Minimum distance from the hob cut-out to the wall.
 B: Recessed depth
 C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.