N 50, Fully-integrated dishwasher, 60 cm S195HCX26G



COOKING PASSION SINCE 1877











Z7710X0	inlet and outlet hose extention
Z7860X0	ACCESSORIES DISHWASHER
Z7860X3	Stainless steel protection set 81,5 cm
Z7863X0	Cutlery basket
Z7863X1	Rack insert for stemware dishwasher
Z7870X0	Accessories dishwasher
Z7871X0	Silver polishing cassette

The Vario Hinge dishwasher with Flex Cutlery Drawer that's flexible to load and indicates when it's running, fits even for special built-in situations.

- $\sqrt{}$ Home Connect Add your dishwasher to your home network and enjoy the infinite possibilities of connected services
- $\sqrt{\,}$ Vario Hinge The perfect solution for installations with limited clearance between the bottom of the door and the plinth
- $\sqrt{\ }$ Flex 2 Baskets Flexible baskets, Rack Matic and Flex Cutlery Drawer offers easy loading solutions
- $\sqrt{\ }$ Gap Illumination A light bar indicates cycle activity of the dishwasher
- $\sqrt{\ }$ DoorOpen Assist a light push opens the handle-less door

Technical Data

Energy Efficiency Class: D

Energy Consumption for 100 cycles Eco Programme: 85

Maximum number of place settings: 14

The water consumption of the eco programme in liters per cycle: 9.5

Programme duration: 4:55

Airborne acoustical noise emissions: 46 Airborne acoustical noise emission class: C

Construction type: Built-in

Height of removable worktop (mm): 0

Dimensions of the product (HxWxD): 815 x 598 x 550

Required niche size for installation (HxWxD) : $815-875 \times 600 \times 550$

Approval certificates: CE, VDE

Depth with open door 90 degree (mm): 1150 Adjustable feet : Yes - all from front

Maximum adjustability feet (mm): 60

Adjustable plinth: both horizontal and vertical

Net weight (kg): 36.259 Gross weight (kg): 38.5 Connection rating (W): 2400 Fuse protection (A): 10 Voltage (V): 220-240 Frequency (Hz): 50; 60

Length of electrical supply cord (cm): 175

Plug type : GB plug Length inlet hose (cm): 165 Length outlet hose (cm): 190 EAN code: 4242004257103

Installation type : Full-integrated





Feature:

• VarioHinge 50mm

New for 2021

Performance

- Energy Efficiency Class¹: D
- Energy² / Water³: 85 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration⁴: 4:55 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

Programmes / functions

- \bullet 6 programmes: Eco 50 °C, Auto 45-65 °C , Chef 70 °C, Classic 60 °C, Glass 40 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Power Zone, Extra Speed
- Easy Clean Programme
- Silence on Demand (via app)

Flexible design elements

- Flex 2 baskets with coloured TouchPoints
- Flex Cutlery Drawer loading on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Ball bearing wheels on upper basket
- Low friction wheels on bottom basket
- Anti-slip protection strips in upper basket
- Rack Stopper to prevent derailing of bottom basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf
- Glass rack in bottom basket

Innovations and technology

- Home Connect Wi Fi enabled, for dishwasher control
- Heat exchanger.
- Efficient SilentDrive BLDC motor
- DosageAssist detergent dispenser
- DetergentAware
- Aqua and loading sensor
- Neff Sparkle glass care system

Design features

- Push button top controls
- Gap Illumination indicates cycle is running
- doorOpen Assist Simple to use, designed for handleless kitchens
- Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Time delay (3, 6 or 24 hours)
- Childlock when activated double push to open
- Neff AquaStop® with guarantee
- Self-cleaning filter system with 3 piece corrugated filter
- Large item spray head, including Steam protection plate
- Stainless steel interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- ¹ Scale of Energy Efficiency Classes from A to G
- 2 Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- ³ Water consumption in litres per cycle (in programme Eco 50 °C)
- ⁴ Duration of programme Eco 50 °C



