

Serie | 6, Fully-integrated dishwasher, 60 cm SMV6ZCX01G



PerfectDry	/: _/: _B TimeLight	VarioDrawer
------------	------------------------------	-------------

Optional accessories

SGZ1010 : inlet and outlet hose extention SMZ5003 : Retractable hinge f. high corpus dimens. SMZ5005 : Compensating + fixing kit, stainl. steel SMZ5035 : Decor conversion kit, stainless steel SMZ5100 : Vario-cutlery basket SMZ5300 : GlassSecure Tray

PerfectDry dishwashers for best drying results with flexible and practical loading solutions for all your different styles of dishes.

- Home Connect: home appliances with smart connectivity for an easier everyday life.
- **PerfectDry based on Zeolith technology:** perfect drying results with less energy usage even on difficult to dry dishes.
- **TimeLight:** program status and remaining time clearly displayed on floor in high resolution.
- Flex baskets: flexible and practical solution for easy loading.
- VarioDrawer: 3rd level loading for cutlery and smaller kitchen utensils.

Technical Data

A c G

Energy Efficiency Class:	C	
Energy Consumption for 100 cycles	Eco Programme: 75	
Maximum number of place settings:	14	
The water consumption of the eco programme in liters per cycle:		
	9.5	
Programme duration:	3:55	
Airborne acoustical noise emissions	: 44	
Airborne acoustical noise emission	class: B	
Construction type:	Built-in	
Height of removable worktop (mm):	0	
Dimensions of the product (HxWxD)	: 815 x 598 x 550	
Required niche size for installation (HxWxD):		
	815-875 x 600 x 550	
Approval certificates:	CE, VDE	
Depth with open door 90 degree (m	nm): 1150	
Adjustable feet:	Yes - all from front	
Maximum adjustability feet (mm):	60	
Adjustable plinth:	both horizontal and vertical	
Net weight (kg):	45.836	
Gross weight (kg):	48.0	
Connection rating (W):		
	2400	
Fuse protection (A):	2400 10	
• • •		
Fuse protection (A):	10	
Fuse protection (A): Voltage (V):	10 220-240 50; 60	
Fuse protection (A): Voltage (V): Frequency (Hz):	10 220-240 50; 60	
Fuse protection (A): Voltage (V): Frequency (Hz): Length of electrical supply cord (cm	10 220-240 50; 60 1): 175	
Fuse protection (A): Voltage (V): Frequency (Hz): Length of electrical supply cord (cm Plug type:	10 220-240 50; 60 1): 175 GB plug	
Fuse protection (A): Voltage (V): Frequency (Hz): Length of electrical supply cord (cm Plug type: Length inlet hose (cm):	10 220-240 50; 60 1): 175 GB plug 165	
Fuse protection (A): Voltage (V): Frequency (Hz): Length of electrical supply cord (cm Plug type: Length inlet hose (cm): Length outlet hose (cm):	10 220-240 50; 60 n): 175 GB plug 165 190	





Serie | 6, Fully-integrated dishwasher, 60 cm SMV6ZCX01G

PerfectDry dishwashers for best drying results with flexible and practical loading solutions for all your different styles of dishes.

New for 2021

Performance

- Energy Efficiency Class¹: C
- Energy² / Water³: 75 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration⁴: 3:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 42 dB(A) re 1 pW

Programmes / functions

- 6 programmes: Eco 50 °C, Auto 45-65 °C , Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Half Load, SpeedPerfect+
- Machine Care
- Silence on Demand (via app)

Flexible design elements

- Flex basket system
- VarioDrawer loading of cutlery on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 2 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf

Innovations and technology


- Home Connect ready on WLAN
- Zeolith Energy efficient and perfect drying results
- Heat exchanger.
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- AquaMix Glass protection system
- Aqua and loading sensor

Design features


- Push button top edge controls
- TimeLight Light projection on the floor
- Acoustic end of cycle indicator, Time remaining indicator (min), water inlet indicator
- Time delay (3, 6 or 24 hours)
- AquaStop: Bosch warranty in case of water damage for the lifetime of the appliance. Please find warranty terms under https://www.bosch-home.co.uk/customer-service/careprotection-and-parts/additional-warranties
- Self-cleaning filter system with 3 piece corrugated filter
- Large item spray head, steam protection plate
- Stainless steel interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- ¹ Scale of Energy Efficiency Classes from A to G
- ² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- ³ Water consumption in litres per cycle (in programme Eco 50 °C)
- ⁴ Duration of programme Eco 50 °C



Serie | 6, Fully-integrated dishwasher, 60 cm SMV6ZCX01G



A socket () values with extension kit



measurements in mm