


N 50
T26BB59N0
60 CM, HOB, STAINLESS STEEL



COOKING PASSION SINCE 1877



Gas hob with front controls - for easy control of the 4 gas burners.

- ✓ Powerful cooking at up to 3.3 kW.
- ✓ Continuous cast-iron pan supports for maximum stability and cooking convenience.
- ✓ The gas hob with a stainless-steel surface design.
- ✓ Design co-ordinated control dials - easy to operate in an attractive design.

Features

Technical Data

Product name/family : gas hob w integrated controls
 Construction type : Built-in
 Energy input : Gas
 Total number of positions that can be used at the same time : 4
 Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492
 Width of the product (mm) : 582
 Dimensions of the product (mm) : 45 x 582 x 520
 Dimensions of the packed product (HxWxD) (mm) : 141 x 651 x 578
 Net weight (kg) : 10.094
 Gross weight (kg) : 11.0
 Residual heat indicator : without
 Location of control panel : Hob front
 Basic surface material : Stainless steel
 Color of surface : Stainless steel
 Color of frame : Stainless steel
 Approval certificates : CE
 Length of electrical supply cord (cm) : 100
 EAN code : 4242004236665
 Electrical connection rating (W) : 1
 Gas connection rating (W) : 7800
 Current (A) : 3
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60



4 242004 236665

N 50
T26BB59N0
60 CM, HOB, STAINLESS STEEL

Features

Design

- Stainless steel

Special features

- Design co-ordinated control dials
- Ignition via control dials
- black cast iron pan supports with protective rubber feet

Power and size:

- 4 burner hob
- 3 burner + wok burner
- Left front: Standard burner 1.75 KW
- Left rear: Standard burner 1.75 KW
- Right rear: WOK burner 3.3 KW
- Right front: Economy burner 1 KW

Safety Features

- Flame failure safety device
- Factory set for connection to mains gas

Technical information

- Installation dimensions: (ID/W/D) 45 mm x 560 mm x 480 mm
- Appliance dimensions: (W/D) 582 mm x 520 mm
- Min. worktop thickness: 30 mm
- Power cord length 100 cm

Accessories

- LPG jets (28-30/37mbar) included

N 50
T26BB59N0
60 CM, HOB, STAINLESS STEEL

Dimensioned drawings

