N 30, Built-in double oven, Stainless steel UIGCCOANOB



COOKING PASSION SINCE 1877



В



Included accessories

1 x combination grid, 1 x universal pan

Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated

Z11CB10E0 Baking tray, grey enamelled

Z11CR10X0 Baking and roasting grid (standard)

Z11GT10X3 Glass roasting dish, 5,4l

Z11GU20X0 Glasspan

Z11TF36X0 3 level telescopic rails, full ext

Z11TI15X0 Cliprails

Z12CQ10A0 Grill tray, anthracite enamelled

Z1913X0 Baking Stone

Built-in oven with CircoTherm® - The award-winning hot air system from Neff

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

 $\sqrt{\rm CircoTherm^{\odot}}$ - the unique hot air-system for simultaneous baking and roasting on up to 3 levels

Feature:

Technical Data

Color / Material Front : Stainless steel

Construction type : Built-in Integrated Cleaning system : No

Dimensions of the product (mm) : $888 \times 594 \times 550$

Dimensions of the packed product (HxWxD) (mm) : $960 \times 690 \times 660$

Control Panel Material: Stainless steel

Door Material : Glass Net weight (kg) : 49.767 Usable volume of cavity (l) : 71

Cooking method : Conventional heat, Full width grill, Hot Air, Hotair

gentle, Hot air grilling

Temperature control: No control of the temperature

Number of interior lights : 1 Approval certificates : CE, VDE EAN code : 4242004234173

Energy efficiency class (2010/30/EC): A

Energy consumption per cycle conventional (2010/30/EC) : 1.02 Energy consumption per cycle forced air convection (2010/30/EC) :

0.81

Energy efficiency class (2010/30/EC) - cavity 2 : B

Energy consumption per cycle conventional - cavity 2 (2010/30/EC) : 0.83

Energy efficiency index (2010/30/EC): 95.3

Energy efficiency index cavity 2 (2010/30/EC): 120.3

Electrical connection rating (W): 5900

Current (A) : 32 Voltage (V) : 220-240 Frequency (Hz) : 50

Plug type: fixed connection, no plug



N 30, Built-in double oven, Stainless steel UIGCCOANOB

Features

Design

- Retractable control dials, Bevelled oval controls
- Bar handle

Main Lower oven

- Oven capacity: 71 litre
- Available as an accessory
- Control panel lock
- Smooth cavity interior, Shelf support rails
- Cavity (inner surface) bottom: Enamel grey
- Interior halogen light

Programmes/functions

- 5 heating methods: CircoTherm®, Top/bottom heat, Hot air grilling, Full surface grill, CircoTherm® gentle
- Manual rapid heating up

Cleaning

• Full glass inner door

Secondary top oven

- Cavity volume: 34 Litre
- Interior halogen light
- Cavity (inner surface) top: Enamel grey

Programmes/functions

 Oven with 3 heating methods: Top/bottom heat, Full surface grill, Small area grill

Cleaning

Standard accessories

- 1 x combination grid, 1 x universal pan
- Available as an accessory

Performance/technical information

• Energy efficiency rating (acc. EU Nr. 65/2014): A

Energy consumption per cycle in fan-forced convection mode:

0.81 kwł

Number of cavities: Main cavity

Heat source: electrical Cavity volume: 71 litre

• Energy efficiency rating (acc. EU Nr. 65/2014): A

Energy consumption per cycle in conventional mode: 1.02 kwh

Energy consumption per cycle in fan-forced convection mode:

0.81 kwh

Number of cavities: Main cavity

Heat source: electrical Cavity volume: 71 litre

• Energy efficiency rating (acc. EU Nr. 65/2014): B

Number of cavities: 2 Heat source: electrical Cavity volume: 34 Litre • Nominal voltage: 220 - 240 V

• Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm

• Please refer to the dimensions provided in the installation manual

N 30, Built-in double oven, Stainless steel UIGCCOANOB

Dimensioned drawings

